

**Chlamydia : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
STD Clinics**

Total Clinic Visits¹			Male			Female			Total		
Male	Female	AgeGroup	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³
90	1,117	<15	6	7	7.8%	43	45	4.0%	49	52	4.3%
3,431	15,605	15-19	361	450	13.1%	1,003	1,104	7.1%	1,364	1,554	8.2%
8,562	13,246	20-24	552	701	8.2%	514	577	4.4%	1,066	1,278	5.9%
7,085	7,561	25-29	300	391	5.5%	211	243	3.2%	511	634	4.3%
4,896	4,393	30-34	142	167	3.4%	78	94	2.1%	220	261	2.8%
3,407	2,618	35-39	68	92	2.7%	30	42	1.6%	98	134	2.2%
2,303	1,780	40-44	34	41	1.8%	14	18	1.0%	48	59	1.4%
3,351	1,902	>44	29	41	1.2%	9	10	0.5%	38	51	1.0%
0	1	Unknown	0	0	0.0%	0	0	0.0%	0	0	0.0%
33,125	48,223	Total	1,492	1,890	5.7%	1,902	2,133	4.4%	3,394	4,023	4.9%

Total Clinic Visits¹			Male			Female			Total		
Male	Female	Ethnicity	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³
24,735	32,793	European/Pakeha	865	1,097	4.4%	930	1,061	3.2%	1,795	2,158	3.8%
4,101	10,438	Maori	434	562	13.7%	785	854	8.2%	1,219	1,416	9.7%
1,068	1,493	Pacific Island	112	132	12.4%	96	110	7.4%	208	242	9.4%
2,824	3,060	Other	73	88	3.1%	80	94	3.1%	153	182	3.1%
397	439	Unknown	8	11	2.8%	11	14	3.2%	19	25	3.0%
33,125	48,223	Total	1,492	1,890	5.7%	1,902	2,133	4.4%	3,394	4,023	4.9%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Chlamydia : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
STD Clinics**

For cases:

Agegroup	Ethnicity									
	Euro/Pakeha		Maori		Pacific Island		Other		Unknown	
	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%
<15	19	0.9%	33	2.3%	0	0.0%	0	0.0%	0	0.0%
15-19	810	37.5%	632	44.6%	67	27.7%	36	19.8%	9	36.0%
20-24	693	32.1%	450	31.8%	78	32.2%	55	30.2%	2	8.0%
25-29	339	15.7%	179	12.6%	73	30.2%	37	20.3%	6	24.0%
30-34	144	6.7%	70	4.9%	13	5.4%	29	15.9%	5	20.0%
35-39	76	3.5%	37	2.6%	6	2.5%	13	7.1%	2	8.0%
40-44	35	1.6%	13	0.9%	3	1.2%	7	3.8%	1	4.0%
>44	42	1.9%	2	0.1%	2	0.8%	5	2.7%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	2,158	100%	1,416	100%	242	100%	182	100%	25	100%

For total clinic visits:

Agegroup	Ethnicity									
	Euro/Pakeha		Maori		Pacific Island		Other		Unkown	
	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%
<15	672	1.2%	478	3.3%	30	1.2%	23	0.4%	4	0.5%
15-19	13,062	22.7%	4,716	32.4%	513	20.0%	621	10.6%	124	14.8%
20-24	15,320	26.6%	4,088	28.1%	819	32.0%	1,408	23.9%	173	20.7%
25-29	10,375	18.0%	2,275	15.6%	614	24.0%	1,213	20.6%	169	20.2%
30-34	6,644	11.5%	1,333	9.2%	243	9.5%	958	16.3%	111	13.3%
35-39	4,376	7.6%	748	5.1%	155	6.1%	670	11.4%	76	9.1%
40-44	2,926	5.1%	536	3.7%	96	3.7%	459	7.8%	66	7.9%
>44	4,152	7.2%	365	2.5%	91	3.6%	532	9.0%	113	13.5%
Unknown	1	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	57,528	100%	14,539	100%	2,561	100%	5,884	100%	836	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

**Gonorrhoea : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
STD Clinics**

Total Clinic Visits¹			Male			Female			Total		
Male	Female	AgeGroup	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³
90	1,117	<15	1	1	1.1%	6	7	0.6%	7	8	0.7%
3,431	15,605	15-19	58	67	2.0%	93	104	0.7%	151	171	0.9%
8,562	13,246	20-24	86	102	1.2%	53	67	0.5%	139	169	0.8%
7,085	7,561	25-29	75	83	1.2%	25	28	0.4%	100	111	0.8%
4,896	4,393	30-34	47	52	1.1%	8	13	0.3%	55	65	0.7%
3,407	2,618	35-39	29	35	1.0%	6	6	0.2%	35	41	0.7%
2,303	1,780	40-44	20	23	1.0%	2	2	0.1%	22	25	0.6%
3,351	1,902	>44	21	24	0.7%	3	3	0.2%	24	27	0.5%
0	1	Unknown	0	0	0.0%	0	0	0.0%	0	0	0.0%
33,125	48,223	Total	337	387	1.2%	196	230	0.5%	533	617	0.8%

Total Clinic Visits¹			Male			Female			Total		
Male	Female	Ethnicity	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³
24,735	32,793	European/Pakeha	151	182	0.7%	49	54	0.2%	200	236	0.4%
4,101	10,438	Maori	113	130	3.2%	111	133	1.3%	224	263	1.8%
1,068	1,493	Pacific Island	44	44	4.1%	21	24	1.6%	65	68	2.7%
2,824	3,060	Other	28	30	1.1%	12	15	0.5%	40	45	0.8%
397	439	Unknown	1	1	0.3%	3	4	0.9%	4	5	0.6%
33,125	48,223	Total	337	387	1.2%	196	230	0.5%	533	617	0.8%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Gonorrhoea : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
STD Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	1	0.4%	7	2.7%	0	0.0%	0	0.0%	0	0.0%
15-19	43	18.2%	99	37.6%	19	27.9%	7	15.6%	3	60.0%
20-24	55	23.3%	78	29.7%	19	27.9%	16	35.6%	1	20.0%
25-29	38	16.1%	41	15.6%	25	36.8%	7	15.6%	0	0.0%
30-34	34	14.4%	23	8.7%	3	4.4%	5	11.1%	0	0.0%
35-39	26	11.0%	8	3.0%	0	0.0%	6	13.3%	1	20.0%
40-44	15	6.4%	6	2.3%	2	2.9%	2	4.4%	0	0.0%
>44	24	10.2%	1	0.4%	0	0.0%	2	4.4%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	236	100%	263	100%	68	100%	45	100%	5	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	672	1.2%	478	3.3%	30	1.2%	23	0.4%	4	0.5%
15-19	13,062	22.7%	4,716	32.4%	513	20.0%	621	10.6%	124	14.8%
20-24	15,320	26.6%	4,088	28.1%	819	32.0%	1,408	23.9%	173	20.7%
25-29	10,375	18.0%	2,275	15.6%	614	24.0%	1,213	20.6%	169	20.2%
30-34	6,644	11.5%	1,333	9.2%	243	9.5%	958	16.3%	111	13.3%
35-39	4,376	7.6%	748	5.1%	155	6.1%	670	11.4%	76	9.1%
40-44	2,926	5.1%	536	3.7%	96	3.7%	459	7.8%	66	7.9%
>44	4,152	7.2%	365	2.5%	91	3.6%	532	9.0%	113	13.5%
Unknown	1	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	57,528	100%	14,539	100%	2,561	100%	5,884	100%	836	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

Herpes : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
STD Clinics

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
90	1,117	<15	0	0.0%	1	0.1%	1	0.1%
3,431	15,605	15-19	31	0.9%	96	0.6%	127	0.7%
8,562	13,246	20-24	76	0.9%	111	0.8%	187	0.9%
7,085	7,561	25-29	87	1.2%	57	0.8%	144	1.0%
4,896	4,393	30-34	51	1.0%	49	1.1%	100	1.1%
3,407	2,618	35-39	33	1.0%	35	1.3%	68	1.1%
2,303	1,780	40-44	22	1.0%	20	1.1%	42	1.0%
3,351	1,902	>44	31	0.9%	17	0.9%	48	0.9%
0	1	Unknown	0	0.0%	0	0.0%	0	0.0%
33,125	48,223	Total	331	1.0%	386	0.8%	717	0.9%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
24,735	32,793	European/Pakeha	266	1.1%	289	0.9%	555	1.0%
4,101	10,438	Maori	43	1.0%	56	0.5%	99	0.7%
1,068	1,493	Pacific Island	7	0.7%	5	0.3%	12	0.5%
2,824	3,060	Other	13	0.5%	30	1.0%	43	0.7%
397	439	Unknown	2	0.5%	6	1.4%	8	1.0%
33,125	48,223	Total	331	1.0%	386	0.8%	717	0.9%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Herpes : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
STD Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	0	0.0%	1	1.0%	0	0.0%	0	0.0%	0	0.0%
15-19	90	16.2%	24	24.2%	2	16.7%	8	18.6%	3	37.5%
20-24	147	26.5%	29	29.3%	1	8.3%	9	20.9%	1	12.5%
25-29	115	20.7%	13	13.1%	5	41.7%	10	23.3%	1	12.5%
30-34	72	13.0%	11	11.1%	3	25.0%	13	30.2%	1	12.5%
35-39	59	10.6%	8	8.1%	0	0.0%	1	2.3%	0	0.0%
40-44	30	5.4%	8	8.1%	1	8.3%	1	2.3%	2	25.0%
>44	42	7.6%	5	5.1%	0	0.0%	1	2.3%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	555	100%	99	100%	12	100%	43	100%	8	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	672	1.2%	478	3.3%	30	1.2%	23	0.4%	4	0.5%
15-19	13,062	22.7%	4,716	32.4%	513	20.0%	621	10.6%	124	14.8%
20-24	15,320	26.6%	4,088	28.1%	819	32.0%	1,408	23.9%	173	20.7%
25-29	10,375	18.0%	2,275	15.6%	614	24.0%	1,213	20.6%	169	20.2%
30-34	6,644	11.5%	1,333	9.2%	243	9.5%	958	16.3%	111	13.3%
35-39	4,376	7.6%	748	5.1%	155	6.1%	670	11.4%	76	9.1%
40-44	2,926	5.1%	536	3.7%	96	3.7%	459	7.8%	66	7.9%
>44	4,152	7.2%	365	2.5%	91	3.6%	532	9.0%	113	13.5%
Unknown	1	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	57,528	100%	14,539	100%	2,561	100%	5,884	100%	836	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

**Warts : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
STD Clinics**

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
90	1,117	<15	0	0.0%	16	1.4%	16	1.3%
3,431	15,605	15-19	230	6.7%	747	4.8%	977	5.1%
8,562	13,246	20-24	620	7.2%	607	4.6%	1,227	5.6%
7,085	7,561	25-29	384	5.4%	221	2.9%	605	4.1%
4,896	4,393	30-34	221	4.5%	111	2.5%	332	3.6%
3,407	2,618	35-39	120	3.5%	52	2.0%	172	2.9%
2,303	1,780	40-44	67	2.9%	35	2.0%	102	2.5%
3,351	1,902	>44	70	2.1%	24	1.3%	94	1.8%
0	1	Unknown	0	0.0%	1	100.0%	1	100.0%
33,125	48,223	Total	1,712	5.2%	1,814	3.8%	3,526	4.3%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
24,735	32,793	European/Pakeha	1,318	5.3%	1,353	4.1%	2,671	4.6%
4,101	10,438	Maori	228	5.6%	295	2.8%	523	3.6%
1,068	1,493	Pacific Island	55	5.1%	59	4.0%	114	4.5%
2,824	3,060	Other	106	3.8%	98	3.2%	204	3.5%
397	439	Unknown	5	1.3%	9	2.1%	14	1.7%
33,125	48,223	Total	1,712	5.2%	1,814	3.8%	3,526	4.3%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Warts : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
STD Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	11	0.4%	4	0.8%	0	0.0%	1	0.5%	0	0.0%
15-19	699	26.2%	210	40.2%	33	28.9%	29	14.2%	6	42.9%
20-24	953	35.7%	167	31.9%	40	35.1%	64	31.4%	3	21.4%
25-29	463	17.3%	76	14.5%	20	17.5%	46	22.5%	0	0.0%
30-34	253	9.5%	39	7.5%	11	9.6%	26	12.7%	3	21.4%
35-39	130	4.9%	14	2.7%	7	6.1%	20	9.8%	1	7.1%
40-44	81	3.0%	8	1.5%	0	0.0%	12	5.9%	1	7.1%
>44	80	3.0%	5	1.0%	3	2.6%	6	2.9%	0	0.0%
Unknown	1	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	2,671	100%	523	100%	114	100%	204	100%	14	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	672	1.2%	478	3.3%	30	1.2%	23	0.4%	4	0.5%
15-19	13,062	22.7%	4,716	32.4%	513	20.0%	621	10.6%	124	14.8%
20-24	15,320	26.6%	4,088	28.1%	819	32.0%	1,408	23.9%	173	20.7%
25-29	10,375	18.0%	2,275	15.6%	614	24.0%	1,213	20.6%	169	20.2%
30-34	6,644	11.5%	1,333	9.2%	243	9.5%	958	16.3%	111	13.3%
35-39	4,376	7.6%	748	5.1%	155	6.1%	670	11.4%	76	9.1%
40-44	2,926	5.1%	536	3.7%	96	3.7%	459	7.8%	66	7.9%
>44	4,152	7.2%	365	2.5%	91	3.6%	532	9.0%	113	13.5%
Unknown	1	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	57,528	100%	14,539	100%	2,561	100%	5,884	100%	836	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

Syphilis : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
STD Clinics

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
90	1,117	<15	0	0.0%	0	0.0%	0	0.0%
3,431	15,605	15-19	0	0.0%	1	0.0%	1	0.0%
8,562	13,246	20-24	4	0.0%	3	0.0%	7	0.0%
7,085	7,561	25-29	7	0.1%	1	0.0%	8	0.1%
4,896	4,393	30-34	4	0.1%	3	0.1%	7	0.1%
3,407	2,618	35-39	2	0.1%	2	0.1%	4	0.1%
2,303	1,780	40-44	1	0.0%	2	0.1%	3	0.1%
3,351	1,902	>44	10	0.3%	7	0.4%	17	0.3%
0	1	Unknown	0	0.0%	0	0.0%	0	0.0%
33,125	48,223	Total	28	0.1%	19	0.0%	47	0.1%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
24,735	32,793	European/Pakeha	11	0.0%	1	0.0%	12	0.0%
4,101	10,438	Maori	1	0.0%	0	0.0%	1	0.0%
1,068	1,493	Pacific Island	5	0.5%	7	0.5%	12	0.5%
2,824	3,060	Other	11	0.4%	11	0.4%	22	0.4%
397	439	Unknown	0	0.0%	0	0.0%	0	0.0%
33,125	48,223	Total	28	0.1%	19	0.0%	47	0.1%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Syphilis : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
STD Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	0	0.0%	0	0.0%	1	8.3%	0	0.0%	0	0.0%
20-24	3	25.0%	0	0.0%	0	0.0%	4	18.2%	0	0.0%
25-29	3	25.0%	0	0.0%	1	8.3%	4	18.2%	0	0.0%
30-34	2	16.7%	0	0.0%	3	25.0%	2	9.1%	0	0.0%
35-39	1	8.3%	0	0.0%	1	8.3%	2	9.1%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	3	13.6%	0	0.0%
>44	3	25.0%	1	100.0%	6	50.0%	7	31.8%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	12	100%	1	100%	12	100%	22	100%	0	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%
<15	672	1.2%	478	3.3%	30	1.2%	23	0.4%	4	0.5%
15-19	13,062	22.7%	4,716	32.4%	513	20.0%	621	10.6%	124	14.8%
20-24	15,320	26.6%	4,088	28.1%	819	32.0%	1,408	23.9%	173	20.7%
25-29	10,375	18.0%	2,275	15.6%	614	24.0%	1,213	20.6%	169	20.2%
30-34	6,644	11.5%	1,333	9.2%	243	9.5%	958	16.3%	111	13.3%
35-39	4,376	7.6%	748	5.1%	155	6.1%	670	11.4%	76	9.1%
40-44	2,926	5.1%	536	3.7%	96	3.7%	459	7.8%	66	7.9%
>44	4,152	7.2%	365	2.5%	91	3.6%	532	9.0%	113	13.5%
Unknown	1	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	57,528	100%	14,539	100%	2,561	100%	5,884	100%	836	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

**Chancroid : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
STD Clinics**

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
90	1,117	<15	0	0.0%	0	0.0%	0	0.0%
3,431	15,605	15-19	0	0.0%	0	0.0%	0	0.0%
8,562	13,246	20-24	0	0.0%	0	0.0%	0	0.0%
7,085	7,561	25-29	0	0.0%	0	0.0%	0	0.0%
4,896	4,393	30-34	0	0.0%	0	0.0%	0	0.0%
3,407	2,618	35-39	0	0.0%	0	0.0%	0	0.0%
2,303	1,780	40-44	0	0.0%	0	0.0%	0	0.0%
3,351	1,902	>44	0	0.0%	0	0.0%	0	0.0%
0	1	Unknown	0	0.0%	0	0.0%	0	0.0%
33,125	48,223	Total	0	0.0%	0	0.0%	0	0.0%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
24,735	32,793	European/Pakeha	0	0.0%	0	0.0%	0	0.0%
4,101	10,438	Maori	0	0.0%	0	0.0%	0	0.0%
1,068	1,493	Pacific Island	0	0.0%	0	0.0%	0	0.0%
2,824	3,060	Other	0	0.0%	0	0.0%	0	0.0%
397	439	Unknown	0	0.0%	0	0.0%	0	0.0%
33,125	48,223	Total	0	0.0%	0	0.0%	0	0.0%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Chancroid : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
STD Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
20-24	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
25-29	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30-34	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
35-39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	0	100%	0	100%	0	100%	0	100%	0	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%
<15	672	1.2%	478	3.3%	30	1.2%	23	0.4%	4	0.5%
15-19	13,062	22.7%	4,716	32.4%	513	20.0%	621	10.6%	124	14.8%
20-24	15,320	26.6%	4,088	28.1%	819	32.0%	1,408	23.9%	173	20.7%
25-29	10,375	18.0%	2,275	15.6%	614	24.0%	1,213	20.6%	169	20.2%
30-34	6,644	11.5%	1,333	9.2%	243	9.5%	958	16.3%	111	13.3%
35-39	4,376	7.6%	748	5.1%	155	6.1%	670	11.4%	76	9.1%
40-44	2,926	5.1%	536	3.7%	96	3.7%	459	7.8%	66	7.9%
>44	4,152	7.2%	365	2.5%	91	3.6%	532	9.0%	113	13.5%
Unknown	1	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	57,528	100%	14,539	100%	2,561	100%	5,884	100%	836	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

LGV : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
STD Clinics

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
90	1,117	<15	0	0.0%	0	0.0%	0	0.0%
3,431	15,605	15-19	0	0.0%	0	0.0%	0	0.0%
8,562	13,246	20-24	0	0.0%	0	0.0%	0	0.0%
7,085	7,561	25-29	0	0.0%	0	0.0%	0	0.0%
4,896	4,393	30-34	0	0.0%	0	0.0%	0	0.0%
3,407	2,618	35-39	0	0.0%	0	0.0%	0	0.0%
2,303	1,780	40-44	0	0.0%	0	0.0%	0	0.0%
3,351	1,902	>44	0	0.0%	0	0.0%	0	0.0%
0	1	Unknown	0	0.0%	0	0.0%	0	0.0%
33,125	48,223	Total	0	0.0%	0	0.0%	0	0.0%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
24,735	32,793	European/Pakeha	0	0.0%	0	0.0%	0	0.0%
4,101	10,438	Maori	0	0.0%	0	0.0%	0	0.0%
1,068	1,493	Pacific Island	0	0.0%	0	0.0%	0	0.0%
2,824	3,060	Other	0	0.0%	0	0.0%	0	0.0%
397	439	Unknown	0	0.0%	0	0.0%	0	0.0%
33,125	48,223	Total	0	0.0%	0	0.0%	0	0.0%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**LGV : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
STD Clinics**

For cases:

Agegroup	Ethnicity									
	Euro/Pakeha		Maori		Pacific Island		Other		Unknown	
	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
20-24	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
25-29	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30-34	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
35-39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	0	100%	0	100%	0	100%	0	100%	0	100%

For total clinic visits:

Agegroup	Ethnicity									
	Euro/Pakeha		Maori		Pacific Island		Other		Unkown	
	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%
<15	672	1.2%	478	3.3%	30	1.2%	23	0.4%	4	0.5%
15-19	13,062	22.7%	4,716	32.4%	513	20.0%	621	10.6%	124	14.8%
20-24	15,320	26.6%	4,088	28.1%	819	32.0%	1,408	23.9%	173	20.7%
25-29	10,375	18.0%	2,275	15.6%	614	24.0%	1,213	20.6%	169	20.2%
30-34	6,644	11.5%	1,333	9.2%	243	9.5%	958	16.3%	111	13.3%
35-39	4,376	7.6%	748	5.1%	155	6.1%	670	11.4%	76	9.1%
40-44	2,926	5.1%	536	3.7%	96	3.7%	459	7.8%	66	7.9%
>44	4,152	7.2%	365	2.5%	91	3.6%	532	9.0%	113	13.5%
Unknown	1	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	57,528	100%	14,539	100%	2,561	100%	5,884	100%	836	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

Granuloma Inguinale : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
STD Clinics

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
90	1,117	<15	0	0.0%	0	0.0%	0	0.0%
3,431	15,605	15-19	0	0.0%	0	0.0%	0	0.0%
8,562	13,246	20-24	0	0.0%	0	0.0%	0	0.0%
7,085	7,561	25-29	0	0.0%	0	0.0%	0	0.0%
4,896	4,393	30-34	0	0.0%	0	0.0%	0	0.0%
3,407	2,618	35-39	0	0.0%	0	0.0%	0	0.0%
2,303	1,780	40-44	0	0.0%	0	0.0%	0	0.0%
3,351	1,902	>44	0	0.0%	0	0.0%	0	0.0%
0	1	Unknown	0	0.0%	0	0.0%	0	0.0%
33,125	48,223	Total	0	0.0%	0	0.0%	0	0.0%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
24,735	32,793	European/Pakeha	0	0.0%	0	0.0%	0	0.0%
4,101	10,438	Maori	0	0.0%	0	0.0%	0	0.0%
1,068	1,493	Pacific Island	0	0.0%	0	0.0%	0	0.0%
2,824	3,060	Other	0	0.0%	0	0.0%	0	0.0%
397	439	Unknown	0	0.0%	0	0.0%	0	0.0%
33,125	48,223	Total	0	0.0%	0	0.0%	0	0.0%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Granuloma Inguinale : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
STD Clinics**

For cases:

Agegroup	Ethnicity									
	Euro/Pakeha		Maori		Pacific Island		Other		Unknown	
	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
20-24	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
25-29	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30-34	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
35-39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	0	100%	0	100%	0	100%	0	100%	0	100%

For total clinic visits:

Agegroup	Ethnicity									
	Euro/Pakeha		Maori		Pacific Island		Other		Unkown	
	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%
<15	672	1.2%	478	3.3%	30	1.2%	23	0.4%	4	0.5%
15-19	13,062	22.7%	4,716	32.4%	513	20.0%	621	10.6%	124	14.8%
20-24	15,320	26.6%	4,088	28.1%	819	32.0%	1,408	23.9%	173	20.7%
25-29	10,375	18.0%	2,275	15.6%	614	24.0%	1,213	20.6%	169	20.2%
30-34	6,644	11.5%	1,333	9.2%	243	9.5%	958	16.3%	111	13.3%
35-39	4,376	7.6%	748	5.1%	155	6.1%	670	11.4%	76	9.1%
40-44	2,926	5.1%	536	3.7%	96	3.7%	459	7.8%	66	7.9%
>44	4,152	7.2%	365	2.5%	91	3.6%	532	9.0%	113	13.5%
Unknown	1	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	57,528	100%	14,539	100%	2,561	100%	5,884	100%	836	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

**Chlamydia : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Family Planning Clinics**

Total Clinic Visits¹			Male			Female			Total		
Male	Female	AgeGroup	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³
248	3,594	<15	0	1	0.4%	18	18	0.5%	18	19	0.5%
1,842	62,787	15-19	50	84	4.6%	544	668	1.1%	594	752	1.2%
2,346	55,978	20-24	86	132	5.6%	405	465	0.8%	491	597	1.0%
842	25,835	25-29	22	32	3.8%	130	149	0.6%	152	181	0.7%
767	17,265	30-34	5	12	1.6%	61	71	0.4%	66	83	0.5%
861	10,503	35-39	2	2	0.2%	29	35	0.3%	31	37	0.3%
626	6,629	40-44	2	4	0.6%	15	19	0.3%	17	23	0.3%
366	7,934	>44	0	1	0.3%	4	5	0.1%	4	6	0.1%
46	380	Unknown	0	1	2.2%	0	0	0.0%	0	1	0.2%
7,944	190,905	Total	167	269	3.4%	1,206	1,430	0.7%	1,373	1,699	0.9%

Total Clinic Visits¹			Male			Female			Total		
Male	Female	Ethnicity	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³
4,944	120,181	European/Pakeha	87	137	2.8%	569	678	0.6%	656	815	0.7%
502	12,696	Maori	16	30	6.0%	211	241	1.9%	227	271	2.1%
249	5,674	Pacific Island	23	32	12.9%	89	106	1.9%	112	138	2.3%
565	20,644	Other	20	35	6.2%	180	208	1.0%	200	243	1.1%
1,684	31,710	Unknown	21	35	2.1%	157	197	0.6%	178	232	0.7%
7,944	190,905	Total	167	269	3.4%	1,206	1,430	0.7%	1,373	1,699	0.9%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Chlamydia : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Family Planning Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	9	1.1%	7	2.6%	0	0.0%	1	0.4%	2	0.9%
15-19	359	44.0%	139	51.3%	50	36.2%	103	42.4%	101	43.5%
20-24	300	36.8%	76	28.0%	57	41.3%	90	37.0%	74	31.9%
25-29	74	9.1%	28	10.3%	19	13.8%	27	11.1%	33	14.2%
30-34	45	5.5%	10	3.7%	9	6.5%	14	5.8%	5	2.2%
35-39	11	1.3%	9	3.3%	3	2.2%	5	2.1%	9	3.9%
40-44	14	1.7%	1	0.4%	0	0.0%	2	0.8%	6	2.6%
>44	3	0.4%	1	0.4%	0	0.0%	1	0.4%	1	0.4%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.4%
Total	815	100%	271	100%	138	100%	243	100%	232	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	2,115	1.7%	667	5.1%	118	2.0%	423	2.0%	519	1.6%
15-19	41,518	33.2%	5,230	39.6%	1,699	28.7%	7,008	33.0%	9,174	27.5%
20-24	36,949	29.5%	3,543	26.8%	2,225	37.6%	6,406	30.2%	9,201	27.6%
25-29	16,395	13.1%	1,729	13.1%	923	15.6%	2,766	13.0%	4,864	14.6%
30-34	11,128	8.9%	946	7.2%	445	7.5%	1,949	9.2%	3,564	10.7%
35-39	6,759	5.4%	603	4.6%	288	4.9%	1,311	6.2%	2,403	7.2%
40-44	4,515	3.6%	296	2.2%	130	2.2%	691	3.3%	1,623	4.9%
>44	5,625	4.5%	163	1.2%	84	1.4%	630	3.0%	1,798	5.4%
Unknown	121	0.1%	21	0.2%	11	0.2%	25	0.1%	248	0.7%
Total	125,125	100%	13,198	100%	5,923	100%	21,209	100%	33,394	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

**Gonorrhoea : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Family Planning Clinics**

Total Clinic Visits¹			Male			Female			Total		
Male	Female	AgeGroup	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³
248	3,594	<15	0	1	0.4%	2	2	0.1%	2	3	0.1%
1,842	62,787	15-19	2	5	0.3%	73	80	0.1%	75	85	0.1%
2,346	55,978	20-24	11	15	0.6%	58	61	0.1%	69	76	0.1%
842	25,835	25-29	6	6	0.7%	16	18	0.1%	22	24	0.1%
767	17,265	30-34	1	1	0.1%	7	7	0.0%	8	8	0.0%
861	10,503	35-39	0	0	0.0%	6	8	0.1%	6	8	0.1%
626	6,629	40-44	0	0	0.0%	1	1	0.0%	1	1	0.0%
366	7,934	>44	0	0	0.0%	1	1	0.0%	1	1	0.0%
46	380	Unknown	0	0	0.0%	0	0	0.0%	0	0	0.0%
7,944	190,905	Total	20	28	0.4%	164	178	0.1%	184	206	0.1%

Total Clinic Visits¹			Male			Female			Total		
Male	Female	Ethnicity	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³
4,944	120,181	European/Pakeha	4	5	0.1%	66	70	0.1%	70	75	0.1%
502	12,696	Maori	3	5	1.0%	19	19	0.1%	22	24	0.2%
249	5,674	Pacific Island	6	7	2.8%	13	14	0.2%	19	21	0.4%
565	20,644	Other	3	5	0.9%	29	33	0.2%	32	38	0.2%
1,684	31,710	Unknown	4	6	0.4%	37	42	0.1%	41	48	0.1%
7,944	190,905	Total	20	28	0.4%	164	178	0.1%	184	206	0.1%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Gonorrhoea : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Family Planning Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	1	1.3%	1	4.2%	0	0.0%	0	0.0%	1	2.1%
15-19	33	44.0%	11	45.8%	5	23.8%	21	55.3%	15	31.3%
20-24	25	33.3%	9	37.5%	12	57.1%	11	28.9%	19	39.6%
25-29	9	12.0%	2	8.3%	3	14.3%	1	2.6%	9	18.8%
30-34	2	2.7%	1	4.2%	0	0.0%	1	2.6%	4	8.3%
35-39	3	4.0%	0	0.0%	1	4.8%	4	10.5%	0	0.0%
40-44	1	1.3%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	1	1.3%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	75	100%	24	100%	21	100%	38	100%	48	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	2,115	1.7%	667	5.1%	118	2.0%	423	2.0%	519	1.6%
15-19	41,518	33.2%	5,230	39.6%	1,699	28.7%	7,008	33.0%	9,174	27.5%
20-24	36,949	29.5%	3,543	26.8%	2,225	37.6%	6,406	30.2%	9,201	27.6%
25-29	16,395	13.1%	1,729	13.1%	923	15.6%	2,766	13.0%	4,864	14.6%
30-34	11,128	8.9%	946	7.2%	445	7.5%	1,949	9.2%	3,564	10.7%
35-39	6,759	5.4%	603	4.6%	288	4.9%	1,311	6.2%	2,403	7.2%
40-44	4,515	3.6%	296	2.2%	130	2.2%	691	3.3%	1,623	4.9%
>44	5,625	4.5%	163	1.2%	84	1.4%	630	3.0%	1,798	5.4%
Unknown	121	0.1%	21	0.2%	11	0.2%	25	0.1%	248	0.7%
Total	125,125	100%	13,198	100%	5,923	100%	21,209	100%	33,394	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

Herpes : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Family Planning Clinics

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
248	3,594	<15	0	0.0%	0	0.0%	0	0.0%
1,842	62,787	15-19	3	0.2%	46	0.1%	49	0.1%
2,346	55,978	20-24	13	0.6%	49	0.1%	62	0.1%
842	25,835	25-29	7	0.8%	25	0.1%	32	0.1%
767	17,265	30-34	0	0.0%	15	0.1%	15	0.1%
861	10,503	35-39	0	0.0%	2	0.0%	2	0.0%
626	6,629	40-44	1	0.2%	4	0.1%	5	0.1%
366	7,934	>44	0	0.0%	5	0.1%	5	0.1%
46	380	Unknown	0	0.0%	0	0.0%	0	0.0%
7,944	190,905	Total	24	0.3%	146	0.1%	170	0.1%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
4,944	120,181	European/Pakeha	14	0.3%	96	0.1%	110	0.1%
502	12,696	Maori	1	0.2%	7	0.1%	8	0.1%
249	5,674	Pacific Island	0	0.0%	1	0.0%	1	0.0%
565	20,644	Other	1	0.2%	9	0.0%	10	0.0%
1,684	31,710	Unknown	8	0.5%	33	0.1%	41	0.1%
7,944	190,905	Total	24	0.3%	146	0.1%	170	0.1%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Herpes : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Family Planning Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	33	30.0%	4	50.0%	0	0.0%	4	40.0%	8	19.5%
20-24	40	36.4%	3	37.5%	1	100.0%	4	40.0%	14	34.1%
25-29	22	20.0%	0	0.0%	0	0.0%	0	0.0%	10	24.4%
30-34	8	7.3%	1	12.5%	0	0.0%	0	0.0%	6	14.6%
35-39	2	1.8%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	2	1.8%	0	0.0%	0	0.0%	1	10.0%	2	4.9%
>44	3	2.7%	0	0.0%	0	0.0%	1	10.0%	1	2.4%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	110	100%	8	100%	1	100%	10	100%	41	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	2,115	1.7%	667	5.1%	118	2.0%	423	2.0%	519	1.6%
15-19	41,518	33.2%	5,230	39.6%	1,699	28.7%	7,008	33.0%	9,174	27.5%
20-24	36,949	29.5%	3,543	26.8%	2,225	37.6%	6,406	30.2%	9,201	27.6%
25-29	16,395	13.1%	1,729	13.1%	923	15.6%	2,766	13.0%	4,864	14.6%
30-34	11,128	8.9%	946	7.2%	445	7.5%	1,949	9.2%	3,564	10.7%
35-39	6,759	5.4%	603	4.6%	288	4.9%	1,311	6.2%	2,403	7.2%
40-44	4,515	3.6%	296	2.2%	130	2.2%	691	3.3%	1,623	4.9%
>44	5,625	4.5%	163	1.2%	84	1.4%	630	3.0%	1,798	5.4%
Unknown	121	0.1%	21	0.2%	11	0.2%	25	0.1%	248	0.7%
Total	125,125	100%	13,198	100%	5,923	100%	21,209	100%	33,394	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

Warts : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Family Planning Clinics

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
248	3,594	<15	0	0.0%	6	0.2%	6	0.2%
1,842	62,787	15-19	19	1.0%	204	0.3%	223	0.3%
2,346	55,978	20-24	44	1.9%	168	0.3%	212	0.4%
842	25,835	25-29	21	2.5%	39	0.2%	60	0.2%
767	17,265	30-34	5	0.7%	20	0.1%	25	0.1%
861	10,503	35-39	2	0.2%	6	0.1%	8	0.1%
626	6,629	40-44	1	0.2%	7	0.1%	8	0.1%
366	7,934	>44	1	0.3%	3	0.0%	4	0.0%
46	380	Unknown	0	0.0%	0	0.0%	0	0.0%
7,944	190,905	Total	93	1.2%	453	0.2%	546	0.3%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
4,944	120,181	European/Pakeha	49	1.0%	291	0.2%	340	0.3%
502	12,696	Maori	9	1.8%	36	0.3%	45	0.3%
249	5,674	Pacific Island	3	1.2%	6	0.1%	9	0.2%
565	20,644	Other	11	1.9%	46	0.2%	57	0.3%
1,684	31,710	Unknown	21	1.2%	74	0.2%	95	0.3%
7,944	190,905	Total	93	1.2%	453	0.2%	546	0.3%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Warts : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Family Planning Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	5	1.5%	1	2.2%	0	0.0%	0	0.0%	0	0.0%
15-19	137	40.3%	21	46.7%	5	55.6%	26	45.6%	34	35.8%
20-24	137	40.3%	17	37.8%	3	33.3%	18	31.6%	37	38.9%
25-29	32	9.4%	5	11.1%	1	11.1%	4	7.0%	18	18.9%
30-34	17	5.0%	0	0.0%	0	0.0%	3	5.3%	5	5.3%
35-39	5	1.5%	1	2.2%	0	0.0%	2	3.5%	0	0.0%
40-44	5	1.5%	0	0.0%	0	0.0%	2	3.5%	1	1.1%
>44	2	0.6%	0	0.0%	0	0.0%	2	3.5%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	340	100%	45	100%	9	100%	57	100%	95	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	2,115	1.7%	667	5.1%	118	2.0%	423	2.0%	519	1.6%
15-19	41,518	33.2%	5,230	39.6%	1,699	28.7%	7,008	33.0%	9,174	27.5%
20-24	36,949	29.5%	3,543	26.8%	2,225	37.6%	6,406	30.2%	9,201	27.6%
25-29	16,395	13.1%	1,729	13.1%	923	15.6%	2,766	13.0%	4,864	14.6%
30-34	11,128	8.9%	946	7.2%	445	7.5%	1,949	9.2%	3,564	10.7%
35-39	6,759	5.4%	603	4.6%	288	4.9%	1,311	6.2%	2,403	7.2%
40-44	4,515	3.6%	296	2.2%	130	2.2%	691	3.3%	1,623	4.9%
>44	5,625	4.5%	163	1.2%	84	1.4%	630	3.0%	1,798	5.4%
Unknown	121	0.1%	21	0.2%	11	0.2%	25	0.1%	248	0.7%
Total	125,125	100%	13,198	100%	5,923	100%	21,209	100%	33,394	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

Syphilis : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Family Planning Clinics

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
248	3,594	<15	0	0.0%	0	0.0%	0	0.0%
1,842	62,787	15-19	0	0.0%	0	0.0%	0	0.0%
2,346	55,978	20-24	0	0.0%	1	0.0%	1	0.0%
842	25,835	25-29	0	0.0%	1	0.0%	1	0.0%
767	17,265	30-34	0	0.0%	0	0.0%	0	0.0%
861	10,503	35-39	0	0.0%	0	0.0%	0	0.0%
626	6,629	40-44	0	0.0%	0	0.0%	0	0.0%
366	7,934	>44	0	0.0%	0	0.0%	0	0.0%
46	380	Unknown	0	0.0%	0	0.0%	0	0.0%
7,944	190,905	Total	0	0.0%	2	0.0%	2	0.0%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
4,944	120,181	European/Pakeha	0	0.0%	2	0.0%	2	0.0%
502	12,696	Maori	0	0.0%	0	0.0%	0	0.0%
249	5,674	Pacific Island	0	0.0%	0	0.0%	0	0.0%
565	20,644	Other	0	0.0%	0	0.0%	0	0.0%
1,684	31,710	Unknown	0	0.0%	0	0.0%	0	0.0%
7,944	190,905	Total	0	0.0%	2	0.0%	2	0.0%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Syphilis : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Family Planning Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
20-24	1	50.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
25-29	1	50.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30-34	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
35-39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	2	100%	0	100%	0	100%	0	100%	0	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	2,115	1.7%	667	5.1%	118	2.0%	423	2.0%	519	1.6%
15-19	41,518	33.2%	5,230	39.6%	1,699	28.7%	7,008	33.0%	9,174	27.5%
20-24	36,949	29.5%	3,543	26.8%	2,225	37.6%	6,406	30.2%	9,201	27.6%
25-29	16,395	13.1%	1,729	13.1%	923	15.6%	2,766	13.0%	4,864	14.6%
30-34	11,128	8.9%	946	7.2%	445	7.5%	1,949	9.2%	3,564	10.7%
35-39	6,759	5.4%	603	4.6%	288	4.9%	1,311	6.2%	2,403	7.2%
40-44	4,515	3.6%	296	2.2%	130	2.2%	691	3.3%	1,623	4.9%
>44	5,625	4.5%	163	1.2%	84	1.4%	630	3.0%	1,798	5.4%
Unknown	121	0.1%	21	0.2%	11	0.2%	25	0.1%	248	0.7%
Total	125,125	100%	13,198	100%	5,923	100%	21,209	100%	33,394	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

Chancroid : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Family Planning Clinics

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
248	3,594	<15	0	0.0%	0	0.0%	0	0.0%
1,842	62,787	15-19	0	0.0%	0	0.0%	0	0.0%
2,346	55,978	20-24	0	0.0%	0	0.0%	0	0.0%
842	25,835	25-29	0	0.0%	0	0.0%	0	0.0%
767	17,265	30-34	0	0.0%	0	0.0%	0	0.0%
861	10,503	35-39	0	0.0%	0	0.0%	0	0.0%
626	6,629	40-44	0	0.0%	0	0.0%	0	0.0%
366	7,934	>44	0	0.0%	0	0.0%	0	0.0%
46	380	Unknown	0	0.0%	0	0.0%	0	0.0%
7,944	190,905	Total	0	0.0%	0	0.0%	0	0.0%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
4,944	120,181	European/Pakeha	0	0.0%	0	0.0%	0	0.0%
502	12,696	Maori	0	0.0%	0	0.0%	0	0.0%
249	5,674	Pacific Island	0	0.0%	0	0.0%	0	0.0%
565	20,644	Other	0	0.0%	0	0.0%	0	0.0%
1,684	31,710	Unknown	0	0.0%	0	0.0%	0	0.0%
7,944	190,905	Total	0	0.0%	0	0.0%	0	0.0%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Chancroid : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Family Planning Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
20-24	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
25-29	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30-34	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
35-39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	0	100%	0	100%	0	100%	0	100%	0	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	2,115	1.7%	667	5.1%	118	2.0%	423	2.0%	519	1.6%
15-19	41,518	33.2%	5,230	39.6%	1,699	28.7%	7,008	33.0%	9,174	27.5%
20-24	36,949	29.5%	3,543	26.8%	2,225	37.6%	6,406	30.2%	9,201	27.6%
25-29	16,395	13.1%	1,729	13.1%	923	15.6%	2,766	13.0%	4,864	14.6%
30-34	11,128	8.9%	946	7.2%	445	7.5%	1,949	9.2%	3,564	10.7%
35-39	6,759	5.4%	603	4.6%	288	4.9%	1,311	6.2%	2,403	7.2%
40-44	4,515	3.6%	296	2.2%	130	2.2%	691	3.3%	1,623	4.9%
>44	5,625	4.5%	163	1.2%	84	1.4%	630	3.0%	1,798	5.4%
Unknown	121	0.1%	21	0.2%	11	0.2%	25	0.1%	248	0.7%
Total	125,125	100%	13,198	100%	5,923	100%	21,209	100%	33,394	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

LGV : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Family Planning Clinics

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
248	3,594	<15	0	0.0%	0	0.0%	0	0.0%
1,842	62,787	15-19	0	0.0%	0	0.0%	0	0.0%
2,346	55,978	20-24	0	0.0%	0	0.0%	0	0.0%
842	25,835	25-29	0	0.0%	0	0.0%	0	0.0%
767	17,265	30-34	0	0.0%	0	0.0%	0	0.0%
861	10,503	35-39	0	0.0%	0	0.0%	0	0.0%
626	6,629	40-44	0	0.0%	0	0.0%	0	0.0%
366	7,934	>44	0	0.0%	0	0.0%	0	0.0%
46	380	Unknown	0	0.0%	0	0.0%	0	0.0%
7,944	190,905	Total	0	0.0%	0	0.0%	0	0.0%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
4,944	120,181	European/Pakeha	0	0.0%	0	0.0%	0	0.0%
502	12,696	Maori	0	0.0%	0	0.0%	0	0.0%
249	5,674	Pacific Island	0	0.0%	0	0.0%	0	0.0%
565	20,644	Other	0	0.0%	0	0.0%	0	0.0%
1,684	31,710	Unknown	0	0.0%	0	0.0%	0	0.0%
7,944	190,905	Total	0	0.0%	0	0.0%	0	0.0%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**LGV : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Family Planning Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
20-24	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
25-29	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30-34	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
35-39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	0	100%	0	100%	0	100%	0	100%	0	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>
<15	2,115	1.7%	667	5.1%	118	2.0%	423	2.0%	519	1.6%
15-19	41,518	33.2%	5,230	39.6%	1,699	28.7%	7,008	33.0%	9,174	27.5%
20-24	36,949	29.5%	3,543	26.8%	2,225	37.6%	6,406	30.2%	9,201	27.6%
25-29	16,395	13.1%	1,729	13.1%	923	15.6%	2,766	13.0%	4,864	14.6%
30-34	11,128	8.9%	946	7.2%	445	7.5%	1,949	9.2%	3,564	10.7%
35-39	6,759	5.4%	603	4.6%	288	4.9%	1,311	6.2%	2,403	7.2%
40-44	4,515	3.6%	296	2.2%	130	2.2%	691	3.3%	1,623	4.9%
>44	5,625	4.5%	163	1.2%	84	1.4%	630	3.0%	1,798	5.4%
Unknown	121	0.1%	21	0.2%	11	0.2%	25	0.1%	248	0.7%
Total	125,125	100%	13,198	100%	5,923	100%	21,209	100%	33,394	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

Granuloma Inguinale : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Family Planning Clinics

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
248	3,594	<15	0	0.0%	0	0.0%	0	0.0%
1,842	62,787	15-19	0	0.0%	0	0.0%	0	0.0%
2,346	55,978	20-24	0	0.0%	0	0.0%	0	0.0%
842	25,835	25-29	0	0.0%	0	0.0%	0	0.0%
767	17,265	30-34	0	0.0%	0	0.0%	0	0.0%
861	10,503	35-39	0	0.0%	0	0.0%	0	0.0%
626	6,629	40-44	0	0.0%	0	0.0%	0	0.0%
366	7,934	>44	0	0.0%	0	0.0%	0	0.0%
46	380	Unknown	0	0.0%	0	0.0%	0	0.0%
7,944	190,905	Total	0	0.0%	0	0.0%	0	0.0%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
4,944	120,181	European/Pakeha	0	0.0%	0	0.0%	0	0.0%
502	12,696	Maori	0	0.0%	0	0.0%	0	0.0%
249	5,674	Pacific Island	0	0.0%	0	0.0%	0	0.0%
565	20,644	Other	0	0.0%	0	0.0%	0	0.0%
1,684	31,710	Unknown	0	0.0%	0	0.0%	0	0.0%
7,944	190,905	Total	0	0.0%	0	0.0%	0	0.0%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Granuloma Inguinale : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Family Planning Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
20-24	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
25-29	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30-34	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
35-39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	0	100%	0	100%	0	100%	0	100%	0	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>
<15	2,115	1.7%	667	5.1%	118	2.0%	423	2.0%	519	1.6%
15-19	41,518	33.2%	5,230	39.6%	1,699	28.7%	7,008	33.0%	9,174	27.5%
20-24	36,949	29.5%	3,543	26.8%	2,225	37.6%	6,406	30.2%	9,201	27.6%
25-29	16,395	13.1%	1,729	13.1%	923	15.6%	2,766	13.0%	4,864	14.6%
30-34	11,128	8.9%	946	7.2%	445	7.5%	1,949	9.2%	3,564	10.7%
35-39	6,759	5.4%	603	4.6%	288	4.9%	1,311	6.2%	2,403	7.2%
40-44	4,515	3.6%	296	2.2%	130	2.2%	691	3.3%	1,623	4.9%
>44	5,625	4.5%	163	1.2%	84	1.4%	630	3.0%	1,798	5.4%
Unknown	121	0.1%	21	0.2%	11	0.2%	25	0.1%	248	0.7%
Total	125,125	100%	13,198	100%	5,923	100%	21,209	100%	33,394	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

**Chlamydia : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Student Health Clinics**

Total Clinic Visits¹			Male			Female			Total		
Male	Female	AgeGroup	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³
300	726	<15	0	0	0.0%	6	6	0.8%	6	6	0.6%
4,011	13,583	15-19	28	28	0.7%	153	156	1.1%	181	184	1.0%
7,334	21,490	20-24	47	48	0.7%	115	116	0.5%	162	164	0.6%
2,184	4,976	25-29	7	7	0.3%	16	16	0.3%	23	23	0.3%
1,187	2,999	30-34	1	1	0.1%	10	10	0.3%	11	11	0.3%
876	1,850	35-39	0	0	0.0%	4	4	0.2%	4	4	0.1%
664	1,691	40-44	0	0	0.0%	1	1	0.1%	1	1	0.0%
1,022	1,961	>44	1	1	0.1%	1	1	0.1%	2	2	0.1%
23,594	52,307	Unknown	0	0	0.0%	0	0	0.0%	0	0	0.0%
41,172	101,583	Total	84	85	0.2%	306	310	0.3%	390	395	0.3%

Total Clinic Visits¹			Male			Female			Total		
Male	Female	Ethnicity	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³
11,080	33,068	European/Pakeha	48	49	0.4%	181	185	0.6%	229	234	0.5%
2,670	7,803	Maori	14	14	0.5%	81	81	1.0%	95	95	0.9%
588	1,206	Pacific Island	8	8	1.4%	13	13	1.1%	21	21	1.2%
2,825	5,782	Other	7	7	0.2%	18	18	0.3%	25	25	0.3%
24,009	53,724	Unknown	7	7	0.0%	13	13	0.0%	20	20	0.0%
41,172	101,583	Total	84	85	0.2%	306	310	0.3%	390	395	0.3%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Chlamydia : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Student Health Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	2	0.9%	4	4.2%	0	0.0%	0	0.0%	0	0.0%
15-19	119	50.9%	47	49.5%	2	9.5%	6	24.0%	10	50.0%
20-24	98	41.9%	30	31.6%	14	66.7%	12	48.0%	10	50.0%
25-29	10	4.3%	7	7.4%	2	9.5%	4	16.0%	0	0.0%
30-34	3	1.3%	3	3.2%	3	14.3%	2	8.0%	0	0.0%
35-39	0	0.0%	3	3.2%	0	0.0%	1	4.0%	0	0.0%
40-44	0	0.0%	1	1.1%	0	0.0%	0	0.0%	0	0.0%
>44	2	0.9%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	234	100%	95	100%	21	100%	25	100%	20	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	652	1.5%	194	1.9%	32	1.8%	64	0.7%	84	0.1%
15-19	11,373	25.8%	2,224	21.2%	251	14.0%	1,330	15.5%	2,416	3.1%
20-24	15,318	34.7%	3,594	34.3%	740	41.2%	3,581	41.6%	5,591	7.2%
25-29	3,341	7.6%	1,214	11.6%	245	13.7%	1,395	16.2%	965	1.2%
30-34	1,942	4.4%	797	7.6%	199	11.1%	721	8.4%	527	0.7%
35-39	1,281	2.9%	572	5.5%	107	6.0%	475	5.5%	291	0.4%
40-44	1,054	2.4%	545	5.2%	83	4.6%	427	5.0%	246	0.3%
>44	1,584	3.6%	581	5.5%	102	5.7%	396	4.6%	320	0.4%
Unknown	7,603	17.2%	752	7.2%	35	2.0%	218	2.5%	67,293	86.6%
Total	44,148	100%	10,473	100%	1,794	100%	8,607	100%	77,733	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

**Gonorrhoea : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Student Health Clinics**

Total Clinic Visits¹			Male			Female			Total		
Male	Female	AgeGroup	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³
300	726	<15	0	0	0.0%	0	0	0.0%	0	0	0.0%
4,011	13,583	15-19	3	3	0.1%	6	6	0.0%	9	9	0.1%
7,334	21,490	20-24	3	5	0.1%	2	2	0.0%	5	7	0.0%
2,184	4,976	25-29	1	1	0.0%	0	0	0.0%	1	1	0.0%
1,187	2,999	30-34	2	2	0.2%	1	1	0.0%	3	3	0.1%
876	1,850	35-39	0	0	0.0%	0	0	0.0%	0	0	0.0%
664	1,691	40-44	0	0	0.0%	0	0	0.0%	0	0	0.0%
1,022	1,961	>44	0	0	0.0%	0	0	0.0%	0	0	0.0%
23,594	52,307	Unknown	0	0	0.0%	0	0	0.0%	0	0	0.0%
41,172	101,583	Total	9	11	0.0%	9	9	0.0%	18	20	0.0%

Total Clinic Visits¹			Male			Female			Total		
Male	Female	Ethnicity	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³	No. Confirmed	Total No. ²	Rate³
11,080	33,068	European/Pakeha	3	3	0.0%	3	3	0.0%	6	6	0.0%
2,670	7,803	Maori	5	7	0.3%	4	4	0.1%	9	11	0.1%
588	1,206	Pacific Island	0	0	0.0%	1	1	0.1%	1	1	0.1%
2,825	5,782	Other	1	1	0.0%	0	0	0.0%	1	1	0.0%
24,009	53,724	Unknown	0	0	0.0%	1	1	0.0%	1	1	0.0%
41,172	101,583	Total	9	11	0.0%	9	9	0.0%	18	20	0.0%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Gonorrhoea : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Student Health Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	2	33.3%	7	63.6%	0	0.0%	0	0.0%	0	0.0%
20-24	1	16.7%	3	27.3%	1	100.0%	1	100.0%	1	100.0%
25-29	0	0.0%	1	9.1%	0	0.0%	0	0.0%	0	0.0%
30-34	3	50.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
35-39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	6	100%	11	100%	1	100%	1	100%	1	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>
<15	652	1.5%	194	1.9%	32	1.8%	64	0.7%	84	0.1%
15-19	11,373	25.8%	2,224	21.2%	251	14.0%	1,330	15.5%	2,416	3.1%
20-24	15,318	34.7%	3,594	34.3%	740	41.2%	3,581	41.6%	5,591	7.2%
25-29	3,341	7.6%	1,214	11.6%	245	13.7%	1,395	16.2%	965	1.2%
30-34	1,942	4.4%	797	7.6%	199	11.1%	721	8.4%	527	0.7%
35-39	1,281	2.9%	572	5.5%	107	6.0%	475	5.5%	291	0.4%
40-44	1,054	2.4%	545	5.2%	83	4.6%	427	5.0%	246	0.3%
>44	1,584	3.6%	581	5.5%	102	5.7%	396	4.6%	320	0.4%
Unknown	7,603	17.2%	752	7.2%	35	2.0%	218	2.5%	67,293	86.6%
Total	44,148	100%	10,473	100%	1,794	100%	8,607	100%	77,733	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

Herpes : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Student Health Clinics

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
300	726	<15	0	0.0%	0	0.0%	0	0.0%
4,011	13,583	15-19	1	0.0%	16	0.1%	17	0.1%
7,334	21,490	20-24	5	0.1%	16	0.1%	21	0.1%
2,184	4,976	25-29	0	0.0%	1	0.0%	1	0.0%
1,187	2,999	30-34	0	0.0%	1	0.0%	1	0.0%
876	1,850	35-39	0	0.0%	0	0.0%	0	0.0%
664	1,691	40-44	0	0.0%	0	0.0%	0	0.0%
1,022	1,961	>44	0	0.0%	0	0.0%	0	0.0%
23,594	52,307	Unknown	0	0.0%	0	0.0%	0	0.0%
41,172	101,583	Total	6	0.0%	34	0.0%	40	0.0%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
11,080	33,068	European/Pakeha	4	0.0%	30	0.1%	34	0.1%
2,670	7,803	Maori	1	0.0%	1	0.0%	2	0.0%
588	1,206	Pacific Island	0	0.0%	0	0.0%	0	0.0%
2,825	5,782	Other	0	0.0%	0	0.0%	0	0.0%
24,009	53,724	Unknown	1	0.0%	3	0.0%	4	0.0%
41,172	101,583	Total	6	0.0%	34	0.0%	40	0.0%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Herpes : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Student Health Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	13	38.2%	1	50.0%	0	0.0%	0	0.0%	3	75.0%
20-24	19	55.9%	1	50.0%	0	0.0%	0	0.0%	1	25.0%
25-29	1	2.9%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30-34	1	2.9%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
35-39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	34	100%	2	100%	0	100%	0	100%	4	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>
<15	652	1.5%	194	1.9%	32	1.8%	64	0.7%	84	0.1%
15-19	11,373	25.8%	2,224	21.2%	251	14.0%	1,330	15.5%	2,416	3.1%
20-24	15,318	34.7%	3,594	34.3%	740	41.2%	3,581	41.6%	5,591	7.2%
25-29	3,341	7.6%	1,214	11.6%	245	13.7%	1,395	16.2%	965	1.2%
30-34	1,942	4.4%	797	7.6%	199	11.1%	721	8.4%	527	0.7%
35-39	1,281	2.9%	572	5.5%	107	6.0%	475	5.5%	291	0.4%
40-44	1,054	2.4%	545	5.2%	83	4.6%	427	5.0%	246	0.3%
>44	1,584	3.6%	581	5.5%	102	5.7%	396	4.6%	320	0.4%
Unknown	7,603	17.2%	752	7.2%	35	2.0%	218	2.5%	67,293	86.6%
Total	44,148	100%	10,473	100%	1,794	100%	8,607	100%	77,733	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

**Warts : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Student Health Clinics**

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
300	726	<15	0	0.0%	1	0.1%	1	0.1%
4,011	13,583	15-19	5	0.1%	22	0.2%	27	0.2%
7,334	21,490	20-24	14	0.2%	31	0.1%	45	0.2%
2,184	4,976	25-29	2	0.1%	1	0.0%	3	0.0%
1,187	2,999	30-34	1	0.1%	2	0.1%	3	0.1%
876	1,850	35-39	2	0.2%	0	0.0%	2	0.1%
664	1,691	40-44	0	0.0%	0	0.0%	0	0.0%
1,022	1,961	>44	0	0.0%	0	0.0%	0	0.0%
23,594	52,307	Unknown	0	0.0%	0	0.0%	0	0.0%
41,172	101,583	Total	24	0.1%	57	0.1%	81	0.1%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
11,080	33,068	European/Pakeha	20	0.2%	36	0.1%	56	0.1%
2,670	7,803	Maori	2	0.1%	10	0.1%	12	0.1%
588	1,206	Pacific Island	0	0.0%	1	0.1%	1	0.1%
2,825	5,782	Other	0	0.0%	6	0.1%	6	0.1%
24,009	53,724	Unknown	2	0.0%	4	0.0%	6	0.0%
41,172	101,583	Total	24	0.1%	57	0.1%	81	0.1%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Warts : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Student Health Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	1	1.8%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	19	33.9%	5	41.7%	0	0.0%	3	50.0%	0	0.0%
20-24	31	55.4%	7	58.3%	1	100.0%	1	16.7%	5	83.3%
25-29	2	3.6%	0	0.0%	0	0.0%	1	16.7%	0	0.0%
30-34	2	3.6%	0	0.0%	0	0.0%	1	16.7%	0	0.0%
35-39	1	1.8%	0	0.0%	0	0.0%	0	0.0%	1	16.7%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	56	100%	12	100%	1	100%	6	100%	6	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	652	1.5%	194	1.9%	32	1.8%	64	0.7%	84	0.1%
15-19	11,373	25.8%	2,224	21.2%	251	14.0%	1,330	15.5%	2,416	3.1%
20-24	15,318	34.7%	3,594	34.3%	740	41.2%	3,581	41.6%	5,591	7.2%
25-29	3,341	7.6%	1,214	11.6%	245	13.7%	1,395	16.2%	965	1.2%
30-34	1,942	4.4%	797	7.6%	199	11.1%	721	8.4%	527	0.7%
35-39	1,281	2.9%	572	5.5%	107	6.0%	475	5.5%	291	0.4%
40-44	1,054	2.4%	545	5.2%	83	4.6%	427	5.0%	246	0.3%
>44	1,584	3.6%	581	5.5%	102	5.7%	396	4.6%	320	0.4%
Unknown	7,603	17.2%	752	7.2%	35	2.0%	218	2.5%	67,293	86.6%
Total	44,148	100%	10,473	100%	1,794	100%	8,607	100%	77,733	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

Syphilis : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Student Health Clinics

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
300	726	<15	0	0.0%	0	0.0%	0	0.0%
4,011	13,583	15-19	0	0.0%	0	0.0%	0	0.0%
7,334	21,490	20-24	0	0.0%	0	0.0%	0	0.0%
2,184	4,976	25-29	0	0.0%	0	0.0%	0	0.0%
1,187	2,999	30-34	0	0.0%	0	0.0%	0	0.0%
876	1,850	35-39	0	0.0%	0	0.0%	0	0.0%
664	1,691	40-44	0	0.0%	0	0.0%	0	0.0%
1,022	1,961	>44	0	0.0%	0	0.0%	0	0.0%
23,594	52,307	Unknown	0	0.0%	0	0.0%	0	0.0%
41,172	101,583	Total	0	0.0%	0	0.0%	0	0.0%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
11,080	33,068	European/Pakeha	0	0.0%	0	0.0%	0	0.0%
2,670	7,803	Maori	0	0.0%	0	0.0%	0	0.0%
588	1,206	Pacific Island	0	0.0%	0	0.0%	0	0.0%
2,825	5,782	Other	0	0.0%	0	0.0%	0	0.0%
24,009	53,724	Unknown	0	0.0%	0	0.0%	0	0.0%
41,172	101,583	Total	0	0.0%	0	0.0%	0	0.0%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Syphilis : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Student Health Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
20-24	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
25-29	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30-34	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
35-39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	0	100%	0	100%	0	100%	0	100%	0	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>
<15	652	1.5%	194	1.9%	32	1.8%	64	0.7%	84	0.1%
15-19	11,373	25.8%	2,224	21.2%	251	14.0%	1,330	15.5%	2,416	3.1%
20-24	15,318	34.7%	3,594	34.3%	740	41.2%	3,581	41.6%	5,591	7.2%
25-29	3,341	7.6%	1,214	11.6%	245	13.7%	1,395	16.2%	965	1.2%
30-34	1,942	4.4%	797	7.6%	199	11.1%	721	8.4%	527	0.7%
35-39	1,281	2.9%	572	5.5%	107	6.0%	475	5.5%	291	0.4%
40-44	1,054	2.4%	545	5.2%	83	4.6%	427	5.0%	246	0.3%
>44	1,584	3.6%	581	5.5%	102	5.7%	396	4.6%	320	0.4%
Unknown	7,603	17.2%	752	7.2%	35	2.0%	218	2.5%	67,293	86.6%
Total	44,148	100%	10,473	100%	1,794	100%	8,607	100%	77,733	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

Chancroid : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Student Health Clinics

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
300	726	<15	0	0.0%	0	0.0%	0	0.0%
4,011	13,583	15-19	0	0.0%	0	0.0%	0	0.0%
7,334	21,490	20-24	0	0.0%	0	0.0%	0	0.0%
2,184	4,976	25-29	0	0.0%	0	0.0%	0	0.0%
1,187	2,999	30-34	0	0.0%	0	0.0%	0	0.0%
876	1,850	35-39	0	0.0%	0	0.0%	0	0.0%
664	1,691	40-44	0	0.0%	0	0.0%	0	0.0%
1,022	1,961	>44	0	0.0%	0	0.0%	0	0.0%
23,594	52,307	Unknown	0	0.0%	0	0.0%	0	0.0%
41,172	101,583	Total	0	0.0%	0	0.0%	0	0.0%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
11,080	33,068	European/Pakeha	0	0.0%	0	0.0%	0	0.0%
2,670	7,803	Maori	0	0.0%	0	0.0%	0	0.0%
588	1,206	Pacific Island	0	0.0%	0	0.0%	0	0.0%
2,825	5,782	Other	0	0.0%	0	0.0%	0	0.0%
24,009	53,724	Unknown	0	0.0%	0	0.0%	0	0.0%
41,172	101,583	Total	0	0.0%	0	0.0%	0	0.0%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Chancroid : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Student Health Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
20-24	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
25-29	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30-34	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
35-39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	0	100%	0	100%	0	100%	0	100%	0	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>
<15	652	1.5%	194	1.9%	32	1.8%	64	0.7%	84	0.1%
15-19	11,373	25.8%	2,224	21.2%	251	14.0%	1,330	15.5%	2,416	3.1%
20-24	15,318	34.7%	3,594	34.3%	740	41.2%	3,581	41.6%	5,591	7.2%
25-29	3,341	7.6%	1,214	11.6%	245	13.7%	1,395	16.2%	965	1.2%
30-34	1,942	4.4%	797	7.6%	199	11.1%	721	8.4%	527	0.7%
35-39	1,281	2.9%	572	5.5%	107	6.0%	475	5.5%	291	0.4%
40-44	1,054	2.4%	545	5.2%	83	4.6%	427	5.0%	246	0.3%
>44	1,584	3.6%	581	5.5%	102	5.7%	396	4.6%	320	0.4%
Unknown	7,603	17.2%	752	7.2%	35	2.0%	218	2.5%	67,293	86.6%
Total	44,148	100%	10,473	100%	1,794	100%	8,607	100%	77,733	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

LGV : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Student Health Clinics

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
300	726	<15	0	0.0%	0	0.0%	0	0.0%
4,011	13,583	15-19	0	0.0%	0	0.0%	0	0.0%
7,334	21,490	20-24	0	0.0%	0	0.0%	0	0.0%
2,184	4,976	25-29	0	0.0%	0	0.0%	0	0.0%
1,187	2,999	30-34	0	0.0%	0	0.0%	0	0.0%
876	1,850	35-39	0	0.0%	0	0.0%	0	0.0%
664	1,691	40-44	0	0.0%	0	0.0%	0	0.0%
1,022	1,961	>44	0	0.0%	0	0.0%	0	0.0%
23,594	52,307	Unknown	0	0.0%	0	0.0%	0	0.0%
41,172	101,583	Total	0	0.0%	0	0.0%	0	0.0%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
11,080	33,068	European/Pakeha	0	0.0%	0	0.0%	0	0.0%
2,670	7,803	Maori	0	0.0%	0	0.0%	0	0.0%
588	1,206	Pacific Island	0	0.0%	0	0.0%	0	0.0%
2,825	5,782	Other	0	0.0%	0	0.0%	0	0.0%
24,009	53,724	Unknown	0	0.0%	0	0.0%	0	0.0%
41,172	101,583	Total	0	0.0%	0	0.0%	0	0.0%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**LGV : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Student Health Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%	No. ¹	%
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
20-24	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
25-29	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30-34	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
35-39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	0	100%	0	100%	0	100%	0	100%	0	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	No. ¹	%	No ¹	%	No ¹	%	No ¹	%	No ¹	%
<15	652	1.5%	194	1.9%	32	1.8%	64	0.7%	84	0.1%
15-19	11,373	25.8%	2,224	21.2%	251	14.0%	1,330	15.5%	2,416	3.1%
20-24	15,318	34.7%	3,594	34.3%	740	41.2%	3,581	41.6%	5,591	7.2%
25-29	3,341	7.6%	1,214	11.6%	245	13.7%	1,395	16.2%	965	1.2%
30-34	1,942	4.4%	797	7.6%	199	11.1%	721	8.4%	527	0.7%
35-39	1,281	2.9%	572	5.5%	107	6.0%	475	5.5%	291	0.4%
40-44	1,054	2.4%	545	5.2%	83	4.6%	427	5.0%	246	0.3%
>44	1,584	3.6%	581	5.5%	102	5.7%	396	4.6%	320	0.4%
Unknown	7,603	17.2%	752	7.2%	35	2.0%	218	2.5%	67,293	86.6%
Total	44,148	100%	10,473	100%	1,794	100%	8,607	100%	77,733	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

Granuloma Inguinale : Table 3 - Age, Sex & Ethnicity Disease Rates
January 2002 to December 2002
Student Health Clinics

Total Clinic Visits¹			Male		Female		Total	
Male	Female	AgeGroup	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
300	726	<15	0	0.0%	0	0.0%	0	0.0%
4,011	13,583	15-19	0	0.0%	0	0.0%	0	0.0%
7,334	21,490	20-24	0	0.0%	0	0.0%	0	0.0%
2,184	4,976	25-29	0	0.0%	0	0.0%	0	0.0%
1,187	2,999	30-34	0	0.0%	0	0.0%	0	0.0%
876	1,850	35-39	0	0.0%	0	0.0%	0	0.0%
664	1,691	40-44	0	0.0%	0	0.0%	0	0.0%
1,022	1,961	>44	0	0.0%	0	0.0%	0	0.0%
23,594	52,307	Unknown	0	0.0%	0	0.0%	0	0.0%
41,172	101,583	Total	0	0.0%	0	0.0%	0	0.0%

Total Clinic Visits¹			Male		Female		Total	
Male	Female	Ethnicity	Total No.	Rate³	Total No.	Rate³	Total No.	Rate³
11,080	33,068	European/Pakeha	0	0.0%	0	0.0%	0	0.0%
2,670	7,803	Maori	0	0.0%	0	0.0%	0	0.0%
588	1,206	Pacific Island	0	0.0%	0	0.0%	0	0.0%
2,825	5,782	Other	0	0.0%	0	0.0%	0	0.0%
24,009	53,724	Unknown	0	0.0%	0	0.0%	0	0.0%
41,172	101,583	Total	0	0.0%	0	0.0%	0	0.0%

¹ Total No. Clinic Visits = total no. clinic visits per month for any reason

² Total No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases

³ Rate = (total no. cases / total no. clinic visits) x 100, expressed as a percentage

**Granuloma Inguinale : Table 4 - Patient Ethnicity by Age group
January 2002 to December 2002
Student Health Clinics**

For cases:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unknown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>	<u>No.¹</u>	<u>%</u>
<15	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
15-19	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
20-24	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
25-29	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30-34	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
35-39	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40-44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
>44	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	0	100%	0	100%	0	100%	0	100%	0	100%

For total clinic visits:

Agegroup	Ethnicity									
	<u>Euro/Pakeha</u>		<u>Maori</u>		<u>Pacific Island</u>		<u>Other</u>		<u>Unkown</u>	
	<u>No.¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>	<u>No¹</u>	<u>%</u>
<15	652	1.5%	194	1.9%	32	1.8%	64	0.7%	84	0.1%
15-19	11,373	25.8%	2,224	21.2%	251	14.0%	1,330	15.5%	2,416	3.1%
20-24	15,318	34.7%	3,594	34.3%	740	41.2%	3,581	41.6%	5,591	7.2%
25-29	3,341	7.6%	1,214	11.6%	245	13.7%	1,395	16.2%	965	1.2%
30-34	1,942	4.4%	797	7.6%	199	11.1%	721	8.4%	527	0.7%
35-39	1,281	2.9%	572	5.5%	107	6.0%	475	5.5%	291	0.4%
40-44	1,054	2.4%	545	5.2%	83	4.6%	427	5.0%	246	0.3%
>44	1,584	3.6%	581	5.5%	102	5.7%	396	4.6%	320	0.4%
Unknown	7,603	17.2%	752	7.2%	35	2.0%	218	2.5%	67,293	86.6%
Total	44,148	100%	10,473	100%	1,794	100%	8,607	100%	77,733	100%

¹ No. (for Gonorrhoea and Chlamydia only) = no. confirmed cases + no. probable cases